


MT-465019/NVD
4.9-6.1 GHz 17/19dBi TRIPLE POLARITY DIRECTIONAL ANTENNA



ELECTRICAL

REGULATORY COMPLIANCE	RoHS, CE 0682
FREQUENCY RANGE	4.9-6.1 GHz
GAIN	19dBi (min) Vertical 17dBi (min) Dual Slant
VSWR	1.8 : 1 (max) 1.5 ; 1 (typ)
POLARIZATION	Triple Polarization
3 DB BEAMWIDTH	20° (typ)
SIDELOBES LEVEL	-15
F/B RATIO	-35 dB (max)
CROSS POLARIZATION	-20
POWER	6W (max)
INPUT IMPEDANCE	50 (ohm)
LIGHTNING PROTECTION	DC Grounded
MECHANICAL	
DIMENSIONS (LXWXD)	305x305x15mm (max)
CONNECTOR	3*N-Type Female
WEIGHT	1.5 kg (max)
MOUNTING KIT	120018/A
RADOME MATERIAL	Plastic
BASE PLATE MATERIAL	Aluminum with chemical conversion coating

ADD TO COMPARISON | COMPARE

ENVIRONMENTAL

TEST	STANDARD	DURATION	TEMPERTURE	NOTES
LOW TEMPERATURE	IEC 68-2-1	72 h	-55°C	
HIGH TEMPERATURE	IEC 68-2-2	72 h	+71°C	
TEMP. CYCLING	IEC 68-2-14	1 h	-45°C +70°C	3 Cycles
VIBRATION	IEC 60721-3-4	30 min/axis		Random4M3
SHOCK MECHANICAL	IEC 60721-3-4			4M3
HUMIDITY	ETSI EN300-2-4 T4.1E	144 h		95%
WATER TIGHTNESS	IEC 529			IP67

SOLAR RADIATION	ASTM G53	2000h
SALT SPRAY	IEC 68-2-11 Ka	500h
ICE AND SNOW		25mm Radial
WIND SPEED SURVIVAL OPERATION		220 Km/h 160 Km/h
WIND LOAD (SURVIVAL) FRONT THRUST SIDE THRUST		26.8 kg 1.3 kg


Existing Antenna Versions:

MT-465019/SVD/E	Same antenna, matching 1 foot enclosure (MT-900007 / MT-900042)
-----------------	---


AZIMUTH RADIATION PATTERN MIDBAND FREQ. 5.725 GHZ

ELEVATION RADIATION PATTERN MIDBAND FREQ. 5.725 GHZ


MT_465019NVD_PORT_+45_AZ_PLANE Freq: 5.725 GHz




MT_465019NVD_PORT_+45_EL_PLANE Freq: 5.725 GHz




MT_465019NVD_PORT_-45_AZ_PLANE Freq: 5.725 GHz





MT_465019NVD_PORT_-45_EL_PLANE Freq: 5.725 GHz



MT_465019NVD_PORT_V_AZ_PLANE Freq: 5.725 GHz



MT_465019NVD_PORT_V_EL_PLANE Freq: 5.725 GHz



WAIVER!

While the information contained in this document has been carefully compiled to the best of our present knowledge, it is not intended as presentation or warranty of any kind on our part regarding the fitness of the products concerned for any particular use or purpose and neither shall any statement contained herein be construed as a recommendation to infringe any industrial property rights or as a license to use any such rights. The fitness of each product for any particular purpose must be checked beforehand with our specialists.

MTI Wireless Edge Ltd.
11 Hamelacha St. Afek Industrial Park Rosh Ha'ayin 48091, Israel
Tel: +972-3-9008900 | Fax: +972-3-9008901 | www.mtiwe.com